


## Presidential Cartridge - Presidential Cartridge - Sherbet Queen

 Sample ID: SA-240119-33459  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test	Date Tested	Status
Cannabinoids	02/08/2024	Tested

<b>ND</b>	<b>73.3 %</b>	<b>76.5 %</b>	<b>Not Tested</b>	<b>Not Tested</b>	<b>Yes</b>
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.159	1.59
CBN	0.0056	0.0169	1.91	19.1
CBT	0.018	0.054	0.283	2.83
Δ4,8-iso-THC	0.0067	0.02	0.197	1.97
Δ8-iso-THC	0.0067	0.02	0.406	4.06
Δ8-THC	0.0104	0.0312	73.3	733
Δ8-THCV	0.0067	0.02	0.319	3.19
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	ND	ND
(6aR,9S,10aR)-HHC	0.0067	0.02	ND	ND
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>76.5</b>	<b>765</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024




 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Disposable - Cotton Candy Zelato

 Sample ID: SA-240119-33457  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test	Date Tested	Status
Cannabinoids	02/08/2024	Tested

<b>ND</b>	<b>61.9 %</b>	<b>67.1 %</b>	<b>Not Tested</b>	<b>Not Tested</b>	<b>Yes</b>
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

### Cannabinoids by HPLC-PDA and/or GC-MS/MS


Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.173	1.73
CBN	0.0056	0.0169	2.09	20.9
CBT	0.018	0.054	0.0862	0.863
Δ4,8-iso-THC	0.0067	0.02	0.246	2.46
Δ8-iso-THC	0.0067	0.02	11.3	11.3
Δ8-THC	0.0104	0.0312	61.9	619
Δ8-THCV	0.0067	0.02	0.206	2.06
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.831	8.31
(6aR,9S,10aR)-HHC	0.0067	0.02	0.460	4.60
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>67.1</b>	<b>671</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024




 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Cartridge - Cotton Candy Zelato

 Sample ID: SA-240119-33464  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test	Date Tested	Status
Cannabinoids	02/08/2024	Tested

<b>ND</b>	<b>69.0 %</b>	<b>74.2 %</b>	<b>Not Tested</b>	<b>Not Tested</b>	<b>Yes</b>
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.235	2.35
CBN	0.0056	0.0169	1.38	13.8
CBT	0.018	0.054	0.127	1.27
Δ4,8-iso-THC	0.0067	0.02	0.169	1.69
Δ8-iso-THC	0.0067	0.02	1.55	15.5
Δ8-THC	0.0104	0.0312	69.0	690
Δ8-THCV	0.0067	0.02	0.309	3.09
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.146	1.46
(6aR,9S,10aR)-HHC	0.0067	0.02	1.34	13.4
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>74.2</b>	<b>742</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Disposable - Citrus Tsunami

 Sample ID: SA-240119-33451  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test Cannabinoids	Date Tested 02/08/2024	Status Tested
----------------------	---------------------------	------------------

<b>ND</b> Total Δ9-THC	<b>62.0 %</b> Δ8-THC	<b>67.7 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.171	1.71
CBN	0.0056	0.0169	2.65	26.5
CBT	0.018	0.054	0.106	1.06
Δ4,8-iso-THC	0.0067	0.02	0.245	2.45
Δ8-iso-THC	0.0067	0.02	1.18	11.8
Δ8-THC	0.0104	0.0312	62.0	620
Δ8-THCV	0.0067	0.02	0.200	2.00
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.756	7.56
(6aR,9S,10aR)-HHC	0.0067	0.02	0.407	4.07
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>67.7</b>	<b>677</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024




 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Cartridge - Citrus Tsunami

 Sample ID: SA-240119-33458  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test Cannabinoids	Date Tested 02/08/2024	Status Tested
----------------------	---------------------------	------------------

<b>ND</b> Total Δ9-THC	<b>71.4 %</b> Δ8-THC	<b>75.0 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	0.156	1.56
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.135	1.35
CBN	0.0056	0.0169	1.34	13.4
CBT	0.018	0.054	0.293	2.93
Δ4,8-iso-THC	0.0067	0.02	0.591	5.91
Δ8-iso-THC	0.0067	0.02	0.569	5.69
Δ8-THC	0.0104	0.0312	71.4	714
Δ8-THCV	0.0067	0.02	0.546	5.46
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	ND	ND
(6aR,9S,10aR)-HHC	0.0067	0.02	ND	ND
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>75.0</b>	<b>750</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Disposable - Sherbet Queen

 Sample ID: SA-240119-33452  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 02/08/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>ND</b> Total Δ9-THC	<b>60.1 %</b> Δ8-THC	<b>65.5 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.172	1.72
CBN	0.0056	0.0169	2.07	20.7
CBT	0.0067	0.02	0.101	1.01
Δ4,8-iso-THC	0.0067	0.02	1.15	11.5
Δ8-THC	0.0104	0.0312	60.1	601
Δ8-THCV	0.0067	0.02	0.213	2.13
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.873	8.72
(6aR,9S,10aR)-HHC	0.0067	0.02	0.461	4.61
10-OH-HHC	0.0067	0.02	0.264	2.64
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>65.5</b>	<b>655</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Disposable - Starry Night

 Sample ID: SA-240119-33453  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 02/08/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>ND</b> Total Δ9-THC	<b>61.2 %</b> Δ8-THC	<b>66.4 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.171	1.71
CBN	0.0056	0.0169	2.02	20.2
CBT	0.018	0.054	0.0888	0.888
Δ4,8-iso-THC	0.0067	0.02	0.265	2.65
Δ8-iso-THC	0.0067	0.02	1.12	11.2
Δ8-THC	0.0104	0.0312	61.2	612
Δ8-THCV	0.0067	0.02	0.213	2.13
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.851	8.51
(6aR,9S,10aR)-HHC	0.0067	0.02	0.485	4.85
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>66.4</b>	<b>664</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024




 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Cartridge - Starry Night

 Sample ID: SA-240119-33460  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 02/08/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>ND</b> Total Δ9-THC	<b>67.8 %</b> Δ8-THC	<b>73.6 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.236	2.36
CBN	0.0056	0.0169	2.03	20.3
CBT	0.018	0.054	0.125	1.25
Δ4,8-iso-THC	0.0067	0.02	0.123	1.23
Δ8-iso-THC	0.0067	0.02	1.44	14.4
Δ8-THC	0.0104	0.0312	67.8	678
Δ8-THCV	0.0067	0.02	0.269	2.69
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.976	9.76
(6aR,9S,10aR)-HHC	0.0067	0.02	0.596	5.96
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>73.6</b>	<b>736</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024




 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Disposable - Royal Runtz

 Sample ID: SA-240119-33455  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 02/08/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>ND</b> Total Δ9-THC	<b>59.5 %</b> Δ8-THC	<b>64.4 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.162	1.62
CBN	0.0056	0.0169	1.94	19.4
CBT	0.018	0.054	0.0837	0.837
Δ4,8-iso-THC	0.0067	0.02	0.200	2.00
Δ8-iso-THC	0.0067	0.02	1.10	11.0
Δ8-THC	0.0104	0.0312	59.5	595
Δ8-THCV	0.0067	0.02	0.193	1.93
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.775	7.76
(6aR,9S,10aR)-HHC	0.0067	0.02	0.453	4.53
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>64.4</b>	<b>644</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Cartridge - Royal Runtz

 Sample ID: SA-240119-33462  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test Cannabinoids	Date Tested 02/08/2024	Status Tested
----------------------	---------------------------	------------------

<b>ND</b> Total Δ9-THC	<b>70.6 %</b> Δ8-THC	<b>76.6 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.277	2.77
CBN	0.0056	0.0169	1.69	16.9
CBT	0.018	0.054	0.162	1.62
Δ4,8-iso-THC	0.0067	0.02	0.171	1.71
Δ8-iso-THC	0.0067	0.02	1.64	16.4
Δ8-THC	0.0104	0.0312	70.6	706
Δ8-THCV	0.0067	0.02	0.334	3.34
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	1.13	11.3
(6aR,9S,10aR)-HHC	0.0067	0.02	0.630	6.30
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>76.6</b>	<b>766</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024




 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Disposable - Grape Zoda

 Sample ID: SA-240119-33456  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test Cannabinoids	Date Tested 02/08/2024	Status Tested
----------------------	---------------------------	------------------

<b>ND</b> Total Δ9-THC	<b>60.4 %</b> Δ8-THC	<b>65.5 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.174	1.74
CBN	0.0056	0.0169	2.02	20.2
CBT	0.018	0.054	0.0902	0.902
Δ4,8-iso-THC	0.0067	0.02	0.213	2.13
Δ8-iso-THC	0.0067	0.02	1.11	11.1
Δ8-THC	0.0104	0.0312	60.4	604
Δ8-THCV	0.0067	0.02	0.196	1.96
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.875	8.75
(6aR,9S,10aR)-HHC	0.0067	0.02	0.449	4.49
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>65.5</b>	<b>655</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Cartridge - Grape Zoda

 Sample ID: SA-240119-33463  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 02/08/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>ND</b> Total Δ9-THC	<b>69.4 %</b> Δ8-THC	<b>76.1 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.267	2.67
CBN	0.0056	0.0169	1.63	16.3
CBT	0.018	0.054	0.150	1.50
Δ4,8-iso-THC	0.0067	0.02	0.157	1.57
Δ8-iso-THC	0.0067	0.02	1.60	16.0
Δ8-THC	0.0104	0.0312	69.4	694
Δ8-THCV	0.0067	0.02	0.321	3.21
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	0.321	3.21
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	2.23	22.3
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>76.1</b>	<b>761</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024




 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Disposable - Dole Whip

 Sample ID: SA-240119-33454  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 02/08/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>ND</b> Total Δ9-THC	<b>61.5 %</b> Δ8-THC	<b>66.7 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.167	1.67
CBN	0.0056	0.0169	2.03	20.3
CBT	0.018	0.054	0.102	1.02
Δ4,8-iso-THC	0.0067	0.02	0.268	2.68
Δ8-iso-THC	0.0067	0.02	1.12	11.2
Δ8-THC	0.0104	0.0312	61.5	615
Δ8-THCV	0.0067	0.02	0.200	2.00
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.848	8.48
(6aR,9S,10aR)-HHC	0.0067	0.02	0.485	4.85
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>66.7</b>	<b>667</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651


## Presidential Cartridge - Dole Whip

 Sample ID: SA-240119-33461  
 Batch: 01/15/2024  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Vape  
 Unit Mass (g):

 Collected: 01/16/2024  
 Received: 01/29/2024  
 Completed: 02/08/2024

**Client**  
 MODUS  
 5143 Port Chicago Hwy, Suite C  
 Concord, CA 94520  
 USA


### Summary

Test Cannabinoids	Date Tested 02/08/2024	Status Tested
----------------------	---------------------------	------------------

<b>ND</b> Total Δ9-THC	<b>70.5 %</b> Δ8-THC	<b>76.6 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
---------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	0.213	2.13
CBN	0.0056	0.0169	2.29	22.9
CBT	0.018	0.054	0.257	2.57
Δ4,8-iso-THC	0.0067	0.02	0.399	3.99
Δ8-iso-THC	0.0067	0.02	1.21	12.1
Δ8-THC	0.0104	0.0312	70.5	705
Δ8-THCV	0.0067	0.02	0.296	2.96
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
exo-THC	0.0067	0.02	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.932	9.32
(6aR,9S,10aR)-HHC	0.0067	0.02	0.465	4.65
<b>Total Δ9-THC</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>76.6</b>	<b>766</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 02/08/2024



 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/08/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651
