3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



# sample Glow: Blueberry Pancakes X Cream

Sample ID SD230217-058 (66770) Matrix Concentrate (Inhalable Cannabis Good)			
Tested for Wherezhemp, LLC	Tested for Wherezhemp, LLC		
Sampled -	Received Feb 17, 2023 Reported Feb 20, 2023		
Analyses executed OARUSH CANX			

Laboratory note: The estimated concentration of the unknown peak in the sample is 8.69% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is o different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 62.51%

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
1-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
etrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
.8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	62.51	625.06
SaR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
lexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	6.20	61.98
5aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
lexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	12.95	129.47
etrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
19-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND
19-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	6.02	60.20
λ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	1.00	10.01
annabicitran (CBT)	0.005	0.16	ND	ND
λ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
L9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
19-THC methyl ether (Δ9-MeO-THC)			NT	NT
otal THC ( THCa * 0.877 + <b>A</b> 9THC )			ND	ND
otal THC + Δ8THC + Δ10THC ( THCα * 0.877 + Δ9THC + Δ8THC + Δ10THC )			62.51	625.06
otal CBD ( CBDa * 0.877 + CBD )			ND	ND
otal CBG ( CBGa * 0.877 + CBG )			ND	ND
Fotal HHC (9r-HHC + 9s-HHC )			19.14	191.45
Total Cannabinoids			88.67	886.72

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

#### Sample Glow: Gelatti X Biscotti



Sample ID SD230217-059 (66771)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for Wherezhemp, LLC		
Sampled -	Received Feb 17, 2023	Reported Feb 20, 2023
Analyses executed OARISH CANY		

Laboratory note: The estimated concentration of the unknown peak in the sample is 8.64% | Currently PharmLobs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC. (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLobs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 6.285%

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
1-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Fetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
A8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
etrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
annabinol (CBN)	0.001	0.16	ND	ND
annabidiphorol (CBDP)	0.015	0.047	ND	ND
xo-THC (exo-THC)	0.005	0.16	ND	ND
etrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	62.85	628.46
SaR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
exahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	5.15	51.48
saR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
lexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	12.01	120.12
etrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
annabinol Acetate (CBNO)	0.014	0.043	ND	ND
9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	6.06	60.62
8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	0.93	9.28
annabicitran (CBT)	0.005	0.16	ND	ND
.8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
.9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
9-THC methyl ether (Δ9-MeO-THC)			NT	NT
otal THC ( THCa * 0.877 + Δ9THC )			ND	ND
otal THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)			62.85	628.46
otal CBD ( CBDa * 0.877 + CBD )			ND	ND
otal CBG ( CBGa * 0.877 + CBG )			ND	ND
Fotal HHC (9r-HHC + 9s-HHC)			17.16	171.61
otal Cannabinoids			87.00	869.96

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature



**SDPharmLabs** 

### PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

#### **Sample Glow: Rainbow Gushers X Zkittles**



Laboratory note: The estimated concentration of the unknown peak in the sample is 8.54% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC or 49-THC at this time there are no reference standards available for (+)d8-THC (+)d8-THC is a different compound from the main (+)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 6200%

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC
Measurement Uncertainty at 95% confidence7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Resul mg/g
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
I(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannobinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	62.00	620.0
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	5.47	54.70
6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	11.97	119.7
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	5.82	58.17
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	0.84	8.37
Cannabicitran (CBT)	0.005	0.16	ND	ND
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
P(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
P(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
Δ9-THC methyl ether (Δ9-MeO-THC)			NT	NT
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ8THC + Δ10THC ( THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC )			62.00	620.0
Total CBD ( CBDa * 0.877 + CBD )			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total HHC (9r-HHC + 9s-HHC)			17.44	174.4
Total Cannabinoids			86.10	860.9

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count









Brandon Starr

Authorized Signature



**SDPharmLabs** 

### PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368







Laboratory note: The estimated concentration of the unknown peak in the sample is 8.41% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 61.20%.

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC Measurement Uncertainty at 95% confidence7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
1(S)-THD (s-THD)	0.013	0.041	ND	ND
1(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	61.20	612.02
6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	5.27	52.74
6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	12.09	120.86
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	5.83	58.30
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	0.93	9.27
Cannabicitran (CBT)	0.005	0.16	ND	ND
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
9(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
∆9-THC-O-acetate (∆9-THCO)	0.066	0.16	ND	ND
P(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
Δ9-THC methyl ether (Δ9-MeO-THC)			NT	NT
Total THC ( THCa * 0.877 + Δ9THC )			ND	ND
Total THC + Δ8THC + Δ10THC ( THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC )			61.20	612.02
Total CBD ( CBDa * 0.877 + CBD )			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total HHC (9r-HHC + 9s-HHC)			17.36	173.61
Total Cannabinoids			85.32	853.20

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



# **Sample Glow: Jack Herer X Northern Lights**

Sample ID SD230217-062 (66774)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for Wherezhemp, LLC		
Sampled -	Received Feb 17, 2023	Reported Feb 20, 2023
Analyses executed OARISH CANY		

Laboratory note: The estimated concentration of the unknown peak in the sample is 8.96% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 64.57%

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
1(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	64.37	643.74
6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	6.04	60.36
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	13.41	134.08
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	6.11	61.08
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	1.11	11.08
Cannabicitran (CBT)	0.005	0.16	ND	ND
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
9(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
P(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
O(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
i-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
19-THC methyl ether (Δ9-MeO-THC)			NT	NT
Total THC (THCa * 0.877 + <b>Δ</b> 9THC )			ND	ND
Total THC + Δ8THC + Δ10THC ( THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC )			64.37	643.74
Fotal CBD ( CBDa * 0.877 + CBD )			ND	ND
Fotal CBG ( CBGa * 0.877 + CBG )			ND	ND
Total HHC (9r-HHC + 9s-HHC )			19.44	194.43
Total me ( Semie + Semie )				.,

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULQL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature

910.34

Brandon Starr

Brandon Starr, Lab Manager Mon, 20 Feb 2023 12:54:22 -0800



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

#### sample Glow: Hawaiian Snow X Maui Wowie



Sample ID SD230217-063 (66775) Matrix Concentrate (Inhalable Cannabis Good) Tested for Wherezhemp, LLC Sampled -Reported Feb 20, 2023 Analyses executed QARUSH, CANX

Laboratory note: The estimated concentration of the unknown peak in the sample is 9.19% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 67.79%

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC

Analyte	LOD mg/g	LOQ mg/g	Result %	Resul mg/g
11-Hydroxy-∆8-Tetrahydrocannabivarin (11-Hyd-∆8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
I(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	67.19	671.8
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	5.76	57.5
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	12.98	129.8
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	6.34	63.4
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	0.94	9.45
Cannabicitran (CBT)	0.005	0.16	ND	ND
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
9(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
9(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
3-octyl-∆8-Tetrahydrocannabinol (∆8-THC-C8)	0.067	0.204	ND	ND
Δ9-THC methyl ether (Δ9-MeO-THC)			NT	NT
Total THC ( THCa * 0.877 + Δ9THC )			ND	ND
Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)			67.19	671.8
Total CBD ( CBDa * 0.877 + CBD )			ND	ND
Total CBG (CBGa * 0.877 + CBG )			ND	ND
Total HHC (9r-HHC + 9s-HHC)			18.74	187.4
Total Cannabinoids			93.21	932.1

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Mon, 20 Feb 2023 12:54:23 -0800



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



#### Sample Glow: Honey Bun X Rolex OG

Sample ID SD230217-064 (66776)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for Wherezhemp, LLC		
Sampled -	Received Feb 17, 2023	Reported Feb 20, 2023
Analyses executed OARUSH CANY		

Laboratory note: The estimated concentration of the unknown peak in the sample is 8.92% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 64.24%

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
Fetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
A8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	64.24	642.4
6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	6.01	60.09
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	13.36	133.56
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	6.15	61.45
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	0.95	9.46
Cannabicitran (CBT)	0.005	0.16	ND	ND
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
P(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
P(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
O(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
Δ9-THC methyl ether (Δ9-MeO-THC)			NT	NT
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ8THC + Δ10THC ( THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC )			64.24	642.4
Total CBD ( CBDa * 0.877 + CBD )			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total HHC ( 9r-HHC + 9s-HHC )			19.37	193.65
Total Cannabinoids			90.70	906.9

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
-ULQD. Above upper limit of linearity
-CFU/g Colony forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368





Sample ID SD230217-065 (66777)	ample ID SD230217-065 (66777) Matrix Concentrate (Inhalable Cannabis Good)			
Tested for Wherezhemp, LLC				
Sampled -	Received Feb 17, 2023	Reported Feb 20, 2023		
Analuses executed OARUSH, CANX				

Laboratory note: The estimated concentration of the unknown peak in the sample is 8.14% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC. (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be: 55,74%.

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC
Measurement Uncertainty at 95% confidence7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-∆8-Tetrahydrocannabinol (11-Hyd-∆8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
1(S)-THD (s-THD)	0.013	0.041	ND	ND
1(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	59.74	597.37
(6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
Hexahydrocannabinol (\$ Isomer) (9s-HHC)	0.017	0.16	5.14	51.40
(6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	11.40	114.01
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Δ9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND
Δ9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	5.71	57.10
Δ8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	0.95	9.46
Cannabicitran (CBT)	0.005	0.16	ND	ND
Δ8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
9(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
Δ9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
9(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
Δ9-THC methyl ether (Δ9-MeO-THC)			NT	NT
Total THC (THCa * 0.877 + <b>Δ</b> 9THC)			ND	ND
Total THC + Δ8THC + Δ10THC (THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)			59.74	597.37
Total CBD ( CBDa * 0.877 + CBD )			ND	ND
Total CBG ( CBGa * 0.877 + CBG )			ND	ND
Total HHC (9r-HHC + 9s-HHC)			16.54	165.41
Total Cannabinoids			82.93	829.34

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
-ULQD. Above upper limit of linearity
-CFU/g Colony forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



# sample Glow: Dragon Fruit X Georgia Pie

Sample ID SD230217-066 (66778)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for Wherezhemp, LLC		
Sampled -	Received Feb 17, 2023	Reported Feb 20, 2023
Analyses executed OARISH CANY		

Laboratory note: The estimated concentration of the unknown peak in the sample is 8.67% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is o different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 62.93%

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC Measurement Uncertainty at 95% confidence7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-∆8-Tetrahydrocannabivarin (11-Hyd-∆8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Tetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabidiphorol (CBDP)	0.015	0.047	ND	ND
exo-THC (exo-THC)	0.005	0.16	ND	ND
etrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
.8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	62.93	629.27
SaR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
lexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	5.79	57.91
6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
lexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	12.57	125.71
etrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
19-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
annabinol Acetate (CBNO)	0.014	0.043	ND	ND
9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	6.13	61.33
.8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	1.06	10.55
annabicitran (CBT)	0.005	0.16	ND	ND
A8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
9-THC methul ether (Δ9-MeO-THC)			NT	NT
otal THC ( THCa * 0.877 + <b>Δ</b> 9THC )			ND	ND
otal THC + Δ8THC + Δ10THC ( THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC )			62.93	629.27
otal CBD ( CBDa * 0.877 + CBD )			ND	ND
otal CBG ( CBGa * 0.877 + CBG )			ND	ND
Fotal HHC (9r-HHC + 9s-HHC)			18.36	183.63
Fotal Cannabinoids			88.48	884.78

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULQL Above upper limit of linearity
CFU/g Colonyl porming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature



3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



### sample Glow: Tropical Slushy X Pixie Dust

Sample ID SD230217-067 (66779)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for Wherezhemp, LLC		
Sampled -	Received Feb 17, 2023	Reported Feb 20, 2023
Analyses executed OARUSH CANX		

Laboratory note: The estimated concentration of the unknown peak in the sample is 8.29% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is o different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 55.74%.

#### CANX - Cannabinoids Analysis

Analyzed Feb 20, 2023 | Instrument HLPC Measurement Uncertainty at 95% confidence7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy-∆8-Tetrahydrocannabivarin (11-Hyd-∆8-THCV)	0.013	0.041	ND	ND
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND
11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
(S)-THD (s-THD)	0.013	0.041	ND	ND
(R)-THD (r-THD)	0.025	0.075	ND	ND
Fetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Δ8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND
Cannabidihexol (CBDH)	0.005	0.16	ND	ND
Fetrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
annabidiphorol (CBDP)	0.015	0.047	ND	ND
xo-THC (exo-THC)	0.005	0.16	ND	ND
etrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	59.74	597.45
iaR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND
lexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	5.89	58.92
5aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND
lexahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	12.52	125.20
etrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND
annabinol Acetate (CBNO)	0.014	0.043	ND	ND
9-Tetrahydrocannabiphorol (Δ9-THCP)	0.017	0.16	5.78	57.79
8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	0.86	8.62
annabicitran (CBT)	0.005	0.16	ND	ND
i8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND
(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND
9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND
(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND
(S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND
-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND
9-THC methyl ether (Δ9-MeO-THC)			NT	NT
otal THC ( THCa * 0.877 + <b>Δ</b> 9THC )			ND	ND
otal THC + Δ8THC + Δ10THC (THCα * 0.877 + Δ9THC + Δ8THC + Δ10THC)			59.74	597.45
otal CBD ( CBDa * 0.877 + CBD )			ND	ND
otal CBG ( CBGa * 0.877 + CBG )			ND	ND
Total HHC (9r-HHC + 9s-HHC)			18.41	184.12
Fotal Cannabinoids			84.80	847.97

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULQL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Mon, 20 Feb 2023 12:50:03 -0800

